












**Завод по производству полимерных трубопроводных систем NANXIN**  
**ZHEJIANG NANXIN PLASTIC CO.,LTD.**






**Прайс-лист полипропиленовых фитингов (PP-R)**






Наименование	Спецификация	Вес нетто	Упаковка		Вес	Объем упаковки	Цена (USD/м)				
	размер(мм)	(г/шт.)	шт./пакет	шт./кор.	kg/кор.	м³/кор.	< 1000шт.	< 2000шт.	< 3000шт.	< 4000шт.	>5000шт.
<b>Муфта соединительная</b> 	S16	8	100	3400	27,20	0,1034	0,033	0,032	0,030	0,028	0,027
	S20	11	100	2800	30,80	0,1034	0,047	0,044	0,042	0,040	0,037
	S25	16	50	1800	28,80	0,1034	0,067	0,063	0,060	0,057	0,053
	S32	25	50	1000	25,00	0,1034	0,106	0,101	0,096	0,090	0,085
	S40	40	25	600	24,00	0,1034	0,169	0,160	0,152	0,143	0,135
	S50	68	15	360	24,48	0,1034	0,286	0,272	0,257	0,243	0,229
	S63	122	9	216	26,35	0,1034	0,515	0,489	0,463	0,437	0,412
	S75	185	6	132	24,42	0,1034	0,781	0,742	0,703	0,664	0,625
	S90	285	4	80	22,80	0,1034	1,202	1,142	1,082	1,022	0,962
	S110	495	2	54	26,73	0,1034	2,087	1,983	1,878	1,774	1,670
	S125	510	1	30	15,30	0,1034	2,488	2,364	2,239	2,115	1,991
	S140	550	1	25	13,75	0,1034	2,683	2,549	2,415	2,281	2,147
S160	1040	1	16	16,64	0,1034	5,074	4,820	4,567	4,313	4,059	
<b>Муфта переходная</b> 	S20x16	11	100	2200	24,20	0,1034	0,047	0,044	0,042	0,040	0,037
	S25x20	14	100	2000	28,00	0,1034	0,060	0,057	0,054	0,051	0,048
	S32x20	20	50	1400	28,00	0,1034	0,084	0,080	0,076	0,072	0,067
	S32x25	22	50	1200	26,40	0,1034	0,093	0,088	0,084	0,079	0,075
	S40x20	30	25	900	27,00	0,1034	0,126	0,120	0,114	0,107	0,101
	S40x25	32	25	800	25,60	0,1034	0,135	0,129	0,122	0,115	0,108
	S40x32	33	25	700	23,10	0,1034	0,140	0,133	0,126	0,119	0,112
	S50x20	48	25	500	24,00	0,1034	0,202	0,192	0,182	0,172	0,161
	S50x25	50	25	500	25,00	0,1034	0,211	0,200	0,190	0,179	0,169
	S50x32	52	25	500	26,00	0,1034	0,220	0,209	0,198	0,187	0,176
	S50x40	57	10	400	22,80	0,1034	0,240	0,228	0,216	0,204	0,192
	S63x20	91	10	400	36,40	0,1034	0,384	0,364	0,345	0,326	0,307
	S63x25	92	10	400	36,80	0,1034	0,388	0,369	0,349	0,330	0,310
	S63x32	94	10	260	24,44	0,1034	0,397	0,377	0,357	0,337	0,318
	S63x40	97	10	240	23,28	0,1034	0,408	0,388	0,367	0,347	0,326
	S63x50	105	10	240	25,20	0,1034	0,444	0,421	0,399	0,377	0,355
S75x20	129	10	200	25,80	0,1034	0,543	0,516	0,489	0,462	0,435	
S75x25	130	10	200	26,00	0,1034	0,548	0,520	0,493	0,466	0,438	







	S75×32	132	10	200	26,40	0,1034	0,557	0,529	0,501	0,473	0,445
	S75×40	133	10	200	26,60	0,1034	0,561	0,533	0,505	0,477	0,449
	S75×50	154	10	200	30,80	0,1034	0,650	0,617	0,585	0,552	0,520
	S75×63	162	6	144	23,33	0,1034	0,683	0,649	0,615	0,581	0,546
	S90×20	215	6	144	30,96	0,1034	0,907	0,862	0,816	0,771	0,726
	S90×25	220	6	144	31,68	0,1034	0,927	0,881	0,834	0,788	0,742
	S90×32	220	6	144	31,68	0,1034	0,927	0,881	0,834	0,788	0,742
	S90×40	220	6	144	31,68	0,1034	0,927	0,881	0,834	0,788	0,742
	S90×50	235	6	132	31,02	0,1034	0,991	0,942	0,892	0,843	0,793
	S90×63	246	6	120	29,52	0,1034	1,036	0,984	0,932	0,880	0,829
	S90×75	252	4	100	25,20	0,1034	1,062	1,009	0,956	0,903	0,850
	S110×50	384	2	80	30,72	0,1034	1,619	1,538	1,457	1,376	1,295
	S110×63	460	2	80	36,80	0,1034	1,938	1,841	1,744	1,648	1,551
	S110×75	468	2	60	28,08	0,1034	1,972	1,873	1,774	1,676	1,577
	S110×90	483	2	50	24,15	0,1034	2,036	1,934	1,832	1,731	1,629
	S125×90	480			0,00	0,1034	2,342	2,225	2,108	1,991	1,874
	S125×110	510			0,00	0,1034	2,488	2,364	2,239	2,115	1,991
	S160×110	1110	1	30	33,30	0,1034	5,416	5,145	4,874	4,603	4,333
	S160×140	1500			0,00	0,1034	7,319	6,953	6,587	6,221	5,855
<b>90° Угольник</b> 	L16	14	100	2000	28,00	0,1034	0,060	0,057	0,054	0,051	0,048
	L20	17	100	1800	30,60	0,1034	0,071	0,067	0,064	0,060	0,057
	L25	27	50	1100	29,70	0,1034	0,113	0,107	0,102	0,096	0,090
	L32	44	25	600	26,40	0,1034	0,186	0,177	0,168	0,158	0,149
	L40	73	15	360	26,28	0,1034	0,308	0,293	0,277	0,262	0,247
	L50	129	10	180	23,22	0,1034	0,543	0,516	0,489	0,462	0,435
	L63	243	4	112	27,22	0,1034	1,025	0,973	0,922	0,871	0,820
	L75	387	2	70	27,09	0,1034	1,630	1,549	1,467	1,386	1,304
	L90	788	1	48	37,82	0,1034	3,320	3,154	2,988	2,822	2,656
	L110	1370	1	21	28,77	0,1034	5,773	5,484	5,196	4,907	4,618
	L125	1280			0,00	0,1034	6,245	5,933	5,621	5,308	4,996
	L140	1750			0,00	0,1034	8,538	8,111	7,684	7,258	6,831
	L160	2650	1	8	21,20	0,1034	12,929	12,283	11,636	10,990	10,344
<b>Угольник переходный</b> 	L20×16	20	50	1600	32,00	0,1034	0,084	0,080	0,076	0,072	0,067
	L25×20	20	50	1400	28,00	0,1034	0,084	0,080	0,076	0,072	0,067
	L32×20	28	50	1000	28,00	0,1034	0,118	0,112	0,106	0,100	0,094
	L32×25	32	25	750	24,00	0,1034	0,135	0,129	0,122	0,115	0,108
	L40×20	45	20	800	36,00	0,1034	0,191	0,181	0,172	0,162	0,153
	L40×25	52	20	560	29,12	0,1034	0,220	0,209	0,198	0,187	0,176











	L40x32	60	20	440	26,40	0,1034	0,253	0,240	0,228	0,215	0,202
	L50x25	80	10	450	36,00	0,1034	0,337	0,320	0,303	0,287	0,270
	L50x32	90	10	340	30,60	0,1034	0,379	0,360	0,341	0,322	0,303
	L50x40	110	10	270	29,70	0,1034	0,464	0,440	0,417	0,394	0,371
	L63x32	138	10	240	33,12	0,1034	0,581	0,552	0,523	0,494	0,465
	L63x40	160	10	160	25,60	0,1034	0,674	0,640	0,607	0,573	0,539
	L63x50	200	5	150	30,00	0,1034	0,843	0,801	0,758	0,716	0,674
<b>45° Угольник</b> 	L16	13	100	2200	28,60	0,1034	0,055	0,053	0,050	0,047	0,044
	L20	14	100	2000	28,00	0,1034	0,060	0,057	0,054	0,051	0,048
	L25	22	50	1400	30,80	0,1034	0,093	0,088	0,084	0,079	0,075
	L32	36	25	800	28,80	0,1034	0,151	0,143	0,136	0,128	0,121
	L40	55	20	420	23,10	0,1034	0,233	0,221	0,210	0,198	0,186
	L50	98	10	240	23,52	0,1034	0,413	0,392	0,371	0,351	0,330
	L63	174	5	120	20,88	0,1034	0,734	0,697	0,661	0,624	0,587
	L75	287	2	80	22,96	0,1034	1,209	1,148	1,088	1,027	0,967
	L90	455	2	36	16,38	0,1034	1,918	1,822	1,727	1,631	1,535
	L110	783	1	20	15,66	0,1034	3,300	3,135	2,970	2,805	2,640
L160	1795	1	8	14,36	0,1034	8,758	8,320	7,882	7,444	7,006	
<b>Тройник соединительный</b> 	T16	18	50	1500	27,00	0,1034	0,075	0,072	0,068	0,064	0,060
	T20	21	50	1350	28,35	0,1034	0,089	0,084	0,080	0,075	0,071
	T25	31	25	800	24,80	0,1034	0,131	0,124	0,118	0,111	0,105
	T32	53	20	460	24,38	0,1034	0,224	0,213	0,202	0,190	0,179
	T40	84	10	240	20,16	0,1034	0,355	0,337	0,319	0,302	0,284
	T50	148	8	160	23,68	0,1034	0,623	0,592	0,561	0,530	0,499
	T63	278	4	80	22,24	0,1034	1,171	1,112	1,054	0,995	0,937
	T75	445	2	52	23,14	0,1034	1,876	1,782	1,689	1,595	1,501
	T90	830	2	20	16,60	0,1034	3,497	3,323	3,148	2,973	2,798
	T110	1400	1	18	25,20	0,1034	5,899	5,604	5,309	5,014	4,719
	T125	1480			0,00	0,1034	7,221	6,860	6,499	6,138	5,777
T160	3060	1	8	24,48	0,1034	14,930	14,183	13,437	12,690	11,944	
<b>Тройник переходный</b> 	T20x16x20	18	50	1100	19,80	0,1034	0,075	0,072	0,068	0,064	0,060
	T25x20x25	29	50	900	26,10	0,1034	0,122	0,116	0,110	0,104	0,098
	T32x20x32	41	25	650	26,65	0,1034	0,173	0,164	0,156	0,147	0,138
	T32x25x32	45	25	550	24,75	0,1034	0,191	0,181	0,172	0,162	0,153
	T40x20x40	56	15	360	20,16	0,1034	0,235	0,223	0,212	0,200	0,188
	T40x25x40	62	15	360	22,32	0,1034	0,262	0,249	0,236	0,222	0,209
	T40x32x40	69	15	300	20,70	0,1034	0,291	0,276	0,261	0,247	0,232
	T50x20x50	91	10	200	18,20	0,1034	0,384	0,364	0,345	0,326	0,307

	T50×25×50	99	10	200	19,80	0,1034	0,417	0,396	0,375	0,354	0,334
	T50×32×50	110	5	180	19,80	0,1034	0,464	0,440	0,417	0,394	0,371
	T50×40×50	124	5	170	21,08	0,1034	0,523	0,497	0,471	0,445	0,419
	T63×20×63	163	5	145	23,64	0,1034	0,688	0,653	0,619	0,584	0,550
	T63×25×63	174	6	144	25,06	0,1034	0,734	0,697	0,661	0,624	0,587
	T63×32×63	192	5	100	19,20	0,1034	0,809	0,769	0,729	0,688	0,648
	T63×40×63	219	5	100	21,90	0,1034	0,923	0,876	0,830	0,784	0,738
	T63×50×63	237	5	100	23,70	0,1034	0,998	0,948	0,898	0,848	0,798
	T75×25×75	282	4	80	22,56	0,1034	1,189	1,129	1,070	1,010	0,951
	T75×32×75	275	4	80	22,00	0,1034	1,160	1,102	1,044	0,986	0,928
	T75×40×75	336	4	64	21,50	0,1034	1,415	1,344	1,273	1,203	1,132
	T75×50×75	346	2	64	22,14	0,1034	1,457	1,384	1,311	1,238	1,166
	T75×63×75	384	2	50	19,20	0,1034	1,619	1,538	1,457	1,376	1,295
	T90×40×90	460	2	48	22,08	0,1034	1,938	1,841	1,744	1,648	1,551
	T90×50×90	480	2	48	23,04	0,1034	2,023	1,921	1,820	1,719	1,618
	T90×63×90	550	2	42	23,10	0,1034	2,318	2,202	2,086	1,970	1,854
	T90×75×90	675	2	40	27,00	0,1034	2,845	2,703	2,561	2,419	2,276
	T110×50×110	810	1	22	17,82	0,1034	3,413	3,242	3,072	2,901	2,730
	T110×63×110	960	1	20	19,20	0,1034	4,045	3,843	3,641	3,438	3,236
	T110×75×110	970	1	20	19,40	0,1034	4,087	3,883	3,679	3,474	3,270
	T110×90×110	1100	1		0,00	0,1034	4,635	4,403	4,172	3,940	3,708
	T125×110×125	1300			0,00	0,1034	6,343	6,026	5,708	5,391	5,074
	T160×110×160	2350			0,00	0,1034	11,466	10,892	10,319	9,746	9,173
<b>Тройник переходный</b>	T20×25×20	26	50	1100	28,60	0,1034	0,109	0,103	0,098	0,092	0,087
	T25×20×20	26	50	1100	28,60	0,1034	0,109	0,103	0,098	0,092	0,087
	T25×25×20	35	50	900	31,50	0,1034	0,149	0,141	0,134	0,126	0,119
	T32×20×20	40	25	800	32,00	0,1034	0,169	0,160	0,152	0,143	0,135
	T32×25×20	46	25	700	32,20	0,1034	0,193	0,183	0,174	0,164	0,154
<b>Крестовина</b>	16	23	50	1200	27,60	0,1034	0,098	0,093	0,088	0,083	0,078
	20	25	50	1000	25,00	0,1034	0,106	0,101	0,096	0,090	0,085
	25	39	25	500	19,50	0,1034	0,164	0,156	0,148	0,139	0,131
	32	52	10	320	16,64	0,1034	0,220	0,209	0,198	0,187	0,176
	40	93	10	200	18,60	0,1034	0,393	0,373	0,353	0,334	0,314
	50	183	5	100	18,30	0,1034	0,772	0,733	0,695	0,656	0,617
	63	322	2	66	21,25	0,1034	1,357	1,289	1,222	1,154	1,086
<b>Крестовина переходная</b>	25×20×25×20	33	25	700	23,10	0,1034	0,140	0,133	0,126	0,119	0,112
	32×20×32×20	46	20	600	27,60	0,1034	0,193	0,183	0,174	0,164	0,154
	32×25×32×25	51	10	400	20,40	0,1034	0,215	0,204	0,194	0,183	0,172







	32x32x20x25	51	10	400	20,40	0,1034	0,215	0,204	0,194	0,183	0,172
<b>Заглушка</b> 	D16	7	100		0,00	0,1034	0,029	0,027	0,026	0,025	0,023
	D20	8	100	4500	36,00	0,1034	0,033	0,032	0,030	0,028	0,027
	D25	11	100	2800	30,80	0,1034	0,047	0,044	0,042	0,040	0,037
	D32	17	50	1500	25,50	0,1034	0,071	0,067	0,064	0,060	0,057
	D40	32	50	900	28,80	0,1034	0,135	0,129	0,122	0,115	0,108
	D50	53	25	500	26,50	0,1034	0,224	0,213	0,202	0,190	0,179
	D63	98	10	260	25,48	0,1034	0,413	0,392	0,371	0,351	0,330
	D75	183	5	110	20,13	0,1034	0,772	0,733	0,695	0,656	0,617
	D90	286	4	68	19,45	0,1034	1,204	1,144	1,084	1,024	0,963
	D110	490	2	50	24,50	0,1034	2,065	1,961	1,858	1,755	1,652
D160	1150	1	20	23,00	0,1034	5,611	5,330	5,050	4,769	4,489	
<b>обводное колено</b> 	Φ20	48	10	630	30,24	0,1034	0,266	0,253	0,240	0,226	0,213
	Φ25	74	10	400	29,60	0,1034	0,410	0,390	0,369	0,349	0,328
	Φ32	110	10	240	26,40	0,1034	0,610	0,579	0,549	0,518	0,488
<b>Обводка муфтовая</b> 	Φ20	23	50	1000	23,00	0,1034	0,129	0,122	0,116	0,109	0,103
	Φ25	30	25	700	21,00	0,1034	0,166	0,158	0,150	0,141	0,133
	Φ32	51	20	400	20,40	0,1034	0,284	0,270	0,255	0,241	0,227
							0,000	0,000	0,000	0,000	0,000
<b>Муфта с В.Р.</b> 	S16x1/2" F	50	25	325	16,25	0,0213	0,477	0,453	0,429	0,405	0,381
	S20x1/2" F	53	50	300	15,90	0,0213	0,506	0,480	0,455	0,430	0,405
	S20x3/4" F	70	25	250	17,50	0,0213	0,668	0,634	0,601	0,567	0,534
	S25x1/2" F	55	50	250	13,75	0,0213	0,524	0,498	0,472	0,446	0,420
	S25x3/4" F	73	25	175	12,78	0,0213	0,696	0,662	0,627	0,592	0,557
	S32x1/2" F	60	25	175	10,50	0,0213	0,572	0,544	0,515	0,486	0,458
	S32x3/4" F	77	25	175	13,48	0,0213	0,734	0,697	0,661	0,624	0,587
	S32x1" F	161	20	80	12,88	0,0213	1,535	1,458	1,382	1,305	1,228
	S40x1 1/4" F	267	10	60	16,02	0,0213	2,546	2,419	2,291	2,164	2,037
	S50x1 1/2" F	370	6	36	13,32	0,0213	3,528	3,352	3,176	2,999	2,823
	S63x2" F	450	4	28	12,60	0,0213	4,291	4,077	3,862	3,648	3,433
S75x2 1/2" F	846	2	12	10,15	0,0213	11,089	10,535	9,980	9,426	8,872	
<b>Муфта с Н.Р.</b> 	S16x1/2" M	53	25	275	14,58	0,0213	0,506	0,480	0,455	0,430	0,405
	S20x1/2" M	54	50	250	13,50	0,0213	0,515	0,489	0,464	0,438	0,412
	S20x3/4" M	74	25	175	12,95	0,0213	0,706	0,671	0,635	0,600	0,565
	S25x1/2" M	55	50	200	11,00	0,0213	0,524	0,498	0,472	0,446	0,420
	S25x3/4" M	79	25	150	11,85	0,0213	0,753	0,716	0,678	0,640	0,603
	S32x1/2" M	64	25	150	9,60	0,0213	0,610	0,580	0,549	0,519	0,488
	S32x3/4" M	84	25	150	12,60	0,0213	0,801	0,761	0,721	0,681	0,641

	S32×1" M	187	10	70	13,09	0,0213	1,783	1,694	1,605	1,516	1,426
	S40×1¼" M	290	10	40	11,60	0,0213	2,766	2,627	2,489	2,351	2,212
	S50×1½" M	390	5	30	11,70	0,0213	3,719	3,533	3,347	3,161	2,975
	S63×2" M	581	4	24	13,94	0,0213	5,540	5,263	4,986	4,709	4,432
	S75×2½" M	940	2	12	11,28	0,0213	12,198	11,588	10,978	10,368	9,758
<b>Угольник с В.Р.</b> 	L16×1/2" F	54	25	250	13,50	0,0213	0,515	0,489	0,464	0,438	0,412
	L20×1/2" F	66	25	225	14,85	0,0213	0,629	0,598	0,566	0,535	0,503
	L20×3/4" F	80	25	175	14,00	0,0213	0,763	0,725	0,687	0,648	0,610
	L25×1/2" F	71	25	175	12,43	0,0213	0,677	0,643	0,609	0,575	0,542
	L25×3/4" F	84	25	150	12,60	0,0213	0,801	0,761	0,721	0,681	0,641
	L32×1/2" F	80	25	125	10,00	0,0213	0,763	0,725	0,687	0,648	0,610
	L32×3/4" F	96	25	100	9,60	0,0213	0,915	0,870	0,824	0,778	0,732
	L32×1" F	151	10	70	10,57	0,0213	1,440	1,368	1,296	1,224	1,152
	L40×1¼" F	246	10	40	9,84	0,0213	2,346	2,229	2,111	1,994	1,877
	L50×1½" F	373	5	30	11,19	0,0213	3,557	3,379	3,202	3,024	2,846
	L63×2" F	668	2	16	10,69	0,0213	6,370	6,052	5,733	5,415	5,096
<b>Угольник с Н.Р.</b> 	L16×1/2" M	58	25	225	13,05	0,0213	0,553	0,526	0,498	0,470	0,443
	L20×1/2" M	62	50	200	12,40	0,0213	0,591	0,561	0,532	0,502	0,473
	L20×3/4" M	85	25	150	12,75	0,0213	0,811	0,770	0,730	0,689	0,648
	L25×1/2" M	68	25	150	10,20	0,0213	0,649	0,616	0,584	0,551	0,519
	L25×3/4" M	91	25	150	13,65	0,0213	0,868	0,824	0,781	0,738	0,694
	L32×1/2" M	81	25	125	10,13	0,0213	0,772	0,734	0,695	0,656	0,618
	L32×3/4" M	105	25	100	10,50	0,0213	1,001	0,951	0,901	0,851	0,801
	L32×1" M	184	10	70	12,88	0,0213	1,755	1,667	1,579	1,492	1,404
	L40×1¼" M	323	5	30	9,69	0,0213	3,080	2,926	2,772	2,618	2,464
	L50×1½" M	460	5	20	9,20	0,0213	4,387	4,167	3,948	3,729	3,509
	L63×2" M	860	2	14	12,04	0,0213	8,201	7,791	7,381	6,971	6,561
<b>Угольник с В.Р. с креплением</b> 	ZL20×1/2" F	67	25	150	10,05	0,0213	0,639	0,607	0,575	0,543	0,511
	ZL25×1/2" F	80	25	150	12,00	0,0213	0,763	0,725	0,687	0,648	0,610
	ZL25×3/4" F	90	25	100	9,00	0,0213	0,858	0,815	0,772	0,730	0,687
<b>Угольник с Н.Р. с креплением</b> 	ZL20×1/2" M	74	25	125	9,25	0,0213	0,706	0,671	0,635	0,600	0,565
	ZL25×1/2" M	80	25	125	10,00	0,0213	0,763	0,725	0,687	0,648	0,610
	ZL25×3/4" M	101	25	75	7,58	0,0213	0,963	0,915	0,867	0,819	0,770
<b>Тройник с В.Р.</b> 	T16×1/2" F	58	25	200	11,60	0,0213	0,553	0,526	0,498	0,470	0,443
	T20×1/2" F	65	25	175	11,38	0,0213	0,620	0,589	0,558	0,527	0,496
	T20×3/4" F	84	25	150	12,60	0,0213	0,801	0,761	0,721	0,681	0,641
	T25×1/2" F	72	25	125	9,00	0,0213	0,686	0,652	0,618	0,583	0,549
	T25×3/4" F	89	25	125	11,13	0,0213	0,849	0,806	0,764	0,722	0,679

	T32×1/2" F	85	25	100	8,50	0,0213	0,811	0,770	0,730	0,689	0,648
	T32×3/4" F	103	20	80	8,24	0,0213	0,982	0,933	0,884	0,835	0,786
	T32×1" F	156	10	60	9,36	0,0213	1,488	1,413	1,339	1,264	1,190
	T40×1¼" F	326	5	30	9,78	0,0213	3,109	2,953	2,798	2,642	2,487
	T50×1½" F	454	5	20	9,08	0,0213	4,330	4,113	3,897	3,680	3,464
	T63×2" F	692	2	12	8,30	0,0213	6,599	6,269	5,939	5,609	5,279
<b>Тройник с Н.Р.</b> 	T16×1/2" M	60	25	175	10,50	0,0213	0,572	0,544	0,515	0,486	0,458
	T20×1/2" M	66	25	150	9,90	0,0213	0,629	0,598	0,566	0,535	0,503
	T20×3/4" M	92	25	150	13,80	0,0213	0,877	0,833	0,789	0,746	0,702
	T25×1/2" M	79	25	125	9,88	0,0213	0,753	0,716	0,678	0,640	0,603
	T25×3/4" M	97	25	100	9,70	0,0213	0,925	0,879	0,832	0,786	0,740
	T32×1/2" M	87	25	100	8,70	0,0213	0,829	0,788	0,746	0,705	0,664
	T32×3/4" M	113	15	75	8,48	0,0213	1,078	1,024	0,970	0,916	0,862
	T32×1" M	193	10	60	11,58	0,0213	1,841	1,749	1,657	1,565	1,473
	T40×1¼" M	338	5	30	10,14	0,0213	3,223	3,062	2,901	2,740	2,579
	T50×1½" M	461	5	15	6,92	0,0213	4,396	4,176	3,957	3,737	3,517
T63×2" M	830	2	10	8,30	0,0213	7,915	7,519	7,124	6,728	6,332	
<b>Вентиль</b> 	Φ20	150	10	80	12,00	0,0213	2,155	2,047	1,939	1,831	1,724
	Φ25	184	10	60	11,04	0,0213	2,800	2,660	2,520	2,380	2,240
	Φ32	209	10	50	10,45	0,0213	3,016	2,865	2,715	2,564	2,413
	Φ40	294	5	30	8,82	0,0213	4,739	4,502	4,265	4,028	3,791
	Φ50	452	4	20	9,04	0,0213	7,325	6,958	6,592	6,226	5,860
	Φ63	840	2	10	8,40	0,0213	10,018	9,517	9,016	8,515	8,014
	Φ75	849	1		0,00	0,0213	20,251	19,239	18,226	17,214	16,201
	Φ90	1620	1		0,00	0,0213	27,576	26,197	24,818	23,440	22,061
Φ110	2820	1		0,00	0,0213	34,470	32,746	31,023	29,299	27,576	
<b>Запорный клапан с ручкой</b> 	Φ20	254	5	45	11,43	0,0213	4,309	4,094	3,878	3,663	3,447
	Φ25	316	5	40	12,64	0,0213	4,739	4,502	4,265	4,028	3,791
	Φ32	328	5	40	13,12	0,0213	4,955	4,707	4,459	4,212	3,964
<b>Пластиковый кран с латунным шаром</b> 	Φ20	102	20	100	10,20	0,0213	1,538	1,461	1,384	1,307	1,230
	Φ25	126	15	75	9,45	0,0213	1,704	1,619	1,534	1,449	1,363
	Φ32	211	10	50	10,55	0,0213	2,564	2,436	2,307	2,179	2,051
	Φ40	378	5	25	9,45	0,0213	6,485	6,160	5,836	5,512	5,188
	Φ50	472			0,00	0,0213	10,783	10,244	9,704	9,165	8,626
	Φ63	853			0,00	0,0213	14,779	14,040	13,301	12,562	11,823
<b>Фильтр</b> 	Φ20	80	20	160	12,80	0,0213	1,153	1,096	1,038	0,980	0,923
	Φ25	110	10	70	7,70	0,0213	1,586	1,506	1,427	1,348	1,269
	Φ32	120	10	60	7,20	0,0213	1,730	1,643	1,557	1,470	1,384

Муфта с накидной гайкой 	Φ20*1/2"F	64	50	300	19,20	0,0213	0,896	0,851	0,806	0,762	0,717
	Φ25*3/4"F	112	25	175	19,60	0,0213	1,568	1,490	1,412	1,333	1,255
	Φ32*1"F	170	20	120	20,40	0,0213	2,386	2,267	2,148	2,028	1,909
								0,000	0,000	0,000	0,000
Угольник с накидной гайкой 	LΦ20*1/2"F	73	25	200	14,60	0,0213	1,034	0,982	0,931	0,879	0,827
Угольник двойной с В.Р. с креплением 	LΦ20*1/2"F	164	6	36	5,90	0,0213	1,564	1,486	1,408	1,329	1,251
Коллектор для холодной и горячей воды 	Φ25*1/2"F	198				0,0213	2,218	2,107	1,996	1,885	1,774
Клапан с Н.Р. 	Φ20	170	20	80	13,60	0,0213	2,661	2,528	2,395	2,262	2,129
	Φ25	210	15	60	12,60	0,0213	3,233	3,072	2,910	2,748	2,587
Угловой клапан с Н.Р. 	Φ20	170	20	80	13,60	0,0213	2,661	2,528	2,395	2,262	2,129
	Φ25	230	15	60	13,80	0,0213	3,233	3,072	2,910	2,748	2,587
Сварочный шаровый кран с В.Р. 	20x1/2" F	220	10	80	17,60	0,0213	3,390	3,220	3,051	2,881	2,712
	25x3/4" F	349	8	48	16,75	0,0213	5,101	4,846	4,591	4,336	4,081
	32x1" F	493	5	30	14,79	0,0213	7,446	7,073	6,701	6,329	5,956
Сварочный шаровый кран с Н.Р. 	20x1/2" M	220	10	80	17,60	0,0213	3,390	3,220	3,051	2,881	2,712
	25x3/4" M	331	8	48	15,89	0,0213	5,006	4,756	4,505	4,255	4,005
	32x1" M	504	5	30	15,12	0,0213	7,540	7,163	6,786	6,409	6,032
Сварочный шаровый кран 	Φ20x20	252	6	60	15,12	0,0213	4,524	4,298	4,072	3,846	3,619
	Φ25x25	383	4	40	15,32	0,0213	6,463	6,140	5,817	5,494	5,170
	Φ32x32	613	3	30	18,39	0,0213	10,556	10,029	9,501	8,973	8,445
	Φ40x40	1138	2	16	18,21	0,0213	18,743	17,806	16,869	15,932	14,995
	Φ50x50	1774	2	12	21,29	0,0213	27,684	26,299	24,915	23,531	22,147
	Φ63x63	2339	2	6	14,03	0,0213	37,055	35,202	33,350	31,497	29,644
Муфта сварочная разъем 	Φ20	80	25	250	20,00	0,0213	1,584	1,505	1,426	1,346	1,267
	Φ25	100	25	150	15,00	0,0213	1,902	1,807	1,712	1,616	1,521
	Φ32	160	10	100	16,00	0,0213	2,851	2,709	2,566	2,424	2,281
	Φ40	280	5	60	16,80	0,0213	4,752	4,514	4,277	4,039	3,802
	Φ50	420	5	35	14,70	0,0213	6,337	6,020	5,703	5,387	5,070



	Ф63	580	2	24	13,92	0,0213	10,457	9,934	9,411	8,888	8,365
<b>Муфта сварочная разъемная с В.Р.</b> 	20×1/2" F	105	25	250	26,25	0,0213	1,327	1,261	1,195	1,128	1,062
	25×1/2" F	132	25	200	26,40	0,0213	1,936	1,839	1,742	1,646	1,549
	25×3/4" F	146	25	150	21,90	0,0213	1,687	1,602	1,518	1,434	1,349
	32×1" F	218	10	100	21,80	0,0213	2,425	2,304	2,183	2,061	1,940
	40×1¼" F	348	5	60	20,88	0,0213	4,012	3,811	3,611	3,410	3,210
	50×1½" F	581	5	35	20,34	0,0213	6,746	6,409	6,072	5,734	5,397
	63×2" F	738	2	24	17,71	0,0213	8,513	8,087	7,662	7,236	6,810
	75×2½" F		1	12	0,00	0,0213	11,976	11,377	10,778	10,179	9,581
<b>Муфта сварочная разъемная с Н.Р.</b> 	20×1/2" M	113	25	250	28,25	0,0213	1,257	1,195	1,132	1,069	1,006
	25×3/4" M	161	25	150	24,15	0,0213	1,727	1,640	1,554	1,468	1,381
	32×1" M	225	10	90	20,25	0,0213	2,635	2,503	2,371	2,239	2,108
	40×1¼" M	365	5	50	18,25	0,0213	5,040	4,788	4,536	4,284	4,032
	50×1½" M	641	5	35	22,44	0,0213	7,395	7,025	6,656	6,286	5,916
	63×2" M	843	2	20	16,86	0,0213	9,601	9,121	8,641	8,161	7,680
	75×2½" M	1300	1	12	15,60	0,0213	12,974	12,325	11,676	11,028	10,379
	<b>Пластиковый шаровой кран</b> 	Ф20	55	25	650	35,75	0,1034	0,355	0,338	0,320	0,302
Ф25		82	20	440	36,08	0,1034	0,530	0,504	0,477	0,451	0,424
Ф32		141	10	240	33,84	0,1034	0,911	0,866	0,820	0,775	0,729
Ф40		202	5	160	32,32	0,1034	1,306	1,240	1,175	1,110	1,045
Ф50		343	5	90	30,87	0,1034	2,217	2,106	1,995	1,884	1,773
Ф63		561	2	50	28,05	0,1034	3,626	3,445	3,263	3,082	2,901
<b>Пластиковый шаровой кран разъемный</b> 	Ф20	88	20	400	35,20	0,1034	0,569	0,540	0,512	0,484	0,455
	Ф25	141	10	240	33,84	0,1034	0,911	0,866	0,820	0,775	0,729
	Ф32	254	5	120	30,48	0,1034	1,642	1,560	1,478	1,395	1,313
	Ф40		5	20	0,00	0,1034	2,715	2,579	2,443	2,307	2,172
	Ф50				0,00	0,1034	4,072	3,868	3,665	3,461	3,257
	Ф63				0,00	0,1034	7,465	7,092	6,718	6,345	5,972
<b>Фланец</b> 	Ф40	246	4	120	29,52	0,1034	1,855	1,762	1,670	1,577	1,484
	Ф50	297	4	100	29,70	0,1034	2,239	2,127	2,015	1,903	1,791
	Ф63	378	2	80	30,24	0,1034	2,850	2,708	2,565	2,423	2,280
	Ф75	506	2	70	35,42	0,1034	3,816	3,625	3,434	3,243	3,053
	Ф90	659				0,1034	4,969	4,720	4,472	4,224	3,975
	Ф110	807			0,00	0,1034	6,085	5,781	5,476	5,172	4,868
	Ф160	1640			0,00	0,1034	12,366	11,748	11,130	10,511	9,893
<b>Пластиковые муфта с разъемным соединением</b> 	Ф20	29	50	1200	34,80	0,1034	0,193	0,183	0,174	0,164	0,154
	Ф25	50	25	650	32,50	0,1034	0,333	0,316	0,299	0,283	0,266
	Ф32	74	10	360	26,64	0,1034	0,492	0,468	0,443	0,418	0,394



Φ40	98	10	280	27,44	0,1034	0,652	0,619	0,587	0,554	0,522
Φ50	184		160	29,44	0,1034	1,224	1,163	1,102	1,041	0,979
Φ63	298			0,00	0,1034	2,024	1,923	1,821	1,720	1,619





















